ELSEVIER

Fluid Phase Equilibria 125 (1996) 287–288

FLUID PHASE EQUILIBRIA

Contents of Volume 125 (1996)

Vol. 125, Nos. 1–2

Preface vii

Role of density fluctuations in the solvation structure in supercritical dilute solutions: a molecular dynamics study
M. Katagiri, M. Tanaka, H. Takaba, A. Miyamoto, Y. Nozue, O. Terasaki (Miyagi, Japan), N. Quirke (Gwynedd, UK) and J.M. Newsam (San Diego, CA, USA). 1–11

Phase equilibrium calculation with a local composition model based on Lennard–Jones potential
H. Inomata, N. Nakabayashi and S. Saito (Sendai, Japan) 13–20

A new predictive quasi-lattice equation of state for high-pressure phase equilibria of pure fluids and mixtures
S.J. Yoo, K.-P. Yoo, H. Kim and C.S. Lee (Seoul, South Korea) 21–31

Two-fluid corresponding states model: a new mixing rule approximation
S.B. Cha, A. Fenghour, G. Saville and W.A. Wakeham (London, UK) 33–43

An equation of state for pentafluoroethane (HFC-125)
C.-c. Piao and M. Noguchi (Osaka, Japan) 45–54

Second cross virial coefficient of the binary vapor mixture *n*-hexane/methanol from quasi-isochoric $p\rho T$ measurements
H. Hendl and E. Vogel (Rostock, Germany) 55–66

Dimerization in acetic acid vapor and evaluation of $p\rho T$ measurements with an equation of state for a reactive fluid
E. Bich, A.-K. Neumann and E. Vogel (Rostock, Germany) 67–78

Isothermal vapor–liquid equilibria for 2-propanol + octane and 2-propanol + 2,2,4-trimethylpentane at 348.15 K
T. Hiaki, T. Tsuji and M. Hongo (Chiba, Japan) 79–87

Measurement and correlation of liquid–liquid equilibria and partition coefficients of hydrolytic enzymes for DEX T500 + PEG20000 + water aqueous two-phase system at 20 °C
T. Furuya, S. Yamada, J. Zhu, Y. Yamaguchi, Y. Iwai and Y. Arai (Fukuoka, Japan) 89–102

Solid–liquid phase equilibria in binary (benzene, cyclohexane + *n*-tetradecane, *n*-hexadecane) systems at temperatures 230–323 K and pressures up to 120 MPa
Y. Tanaka and M. Kawakami (Kobe, Japan) 103–114

Influence of cosolvent on solubilities of fatty acids and higher alcohols in supercritical carbon dioxide
Y. Koga, Y. Iwai, Y. Hata, M. Yamamoto and Y. Arai (Fukuoka, Japan) 115–128

Solubilities of carbon dioxide and nitrogen in polystyrene under high temperature and pressure
Y. Sato, M. Yurugi, K. Fujiwara, S. Takishima and H. Masuoka (Higashi-Hiroshima, Japan) 129–138

Critical parameters for 1,1,1-trifluoroethane (R-143a)
Y. Higashi and T. Ikeda (Iwaki, Japan) 139–147

Phase transitions and critical phenomena in mercury fluid probed by sound
V. Kozhevnikov, D. Arnold, E. Grodzinskii and S. Naurzakov (Moscow, Russia) 149–157

A measurement of interfacial tension between tetradecane and ethylene glycol water solution by means of the pendant drop method
H. Inaba and K. Sato (Okayama, Japan). 159–168

The isochoric heat capacity and coexistence curve of binary mixtures of hydrocarbons
V.A. Mirskaya and I.K. Kamilov (Republic of Daghestan, Russia) 169–175

The experimental investigation of $C_{v,x}$, P, V, T properties and the equation of state of the *n*-hexane–water system
I.K. Kamilov, L.V. Malysheva, A.R. Rasulov, K.A. Shakbanov and G.V. Stepanov (Daghestan, Russia) 177–184

Consideration on the enthalpy of mixing of liquid Au–Sn and Au–In alloys
K. Wasai and K. Mukai (Kitakyushu, Japan) 185–194

Molecular dynamics simulation of interphase transport at liquid surfaces
M. Matsumoto (Nagoya, Japan) 195–203

A relationship between dynamic viscosity and reduced temperature of refrigerant fluids and their mixtures in the liquid phase
G. Latini, G. Passerini and F. Polonara (Ancona, Italy) 205–217
Thermophysical properties of fluids by light scattering
A. Leipertz (Erlangen, Germany) 219–233
Tracer diffusion coefficients of benzene in dense CO_2 at 313.2 K and 8.5–30 MPa
T. Funazukuri and N. Nishimoto (Yokohama, Japan) 235–243
Thermal diffusivity and sound velocity of Round-Robin R134a
K. Kraft and A. Leipertz (Erlangen, Germany) 245–255
Gas-phase viscosity of the alternative refrigerant R134a at low densities
J. Wilhelm and E. Vogel (Rostock, Germany) 257–266
Thermal conductivity of propane and butane in the liquid phase
J. Yata, M. Hori, T. Hagiwara (Kyoto, Japan) and T. Minamiyama (Fukuyama, Japan) 267–274
Simultaneous measurement of thermophysical and radiative properties of semi-transparent liquids
A. Yoshida, T. Fujisaki, H. Tadokoro and S. Washio (Okayama, Japan) 275–282

Subject index 283
Author index 285
Contents of volume 287